

INDEX MAPS.

T.15N R.6W 2nd Mer.

	315		315		314		314		314		313	
317	6	338	5	333	4	329	3	324	2	321	1	313
	338		337		332		328		324		320	
316	7	337	8	332	9	328	10	324	11	320	12	313
	337		336		331		327		323		320	
316	18	336	17	331	16	327	15	323	14	319	13	313
	336		335		331		327		323		319	
316	19	335	20	330	21	326	22	322	23	318	24	312
	335		334		330		326		322		318	
315	30	334	29	330	28	326	27	322	26	318	25	312
	334		333		329		325		321		317	
315	31	333	32	329	33	325	34	321	35	317	36	312
	310		309-310		309-310		309-311		309-311		309-311	

T.16N R.6W 2nd Mer.

346	6	368	5	362	4	358	3	354	2	350	1	342
	368		367		362		358		354		350	
346	7	367	8	362	9	358	10	354	11	350	12	342
	367		366		361		357		353		349	
346	18	366	17	361	16	357	15	353	14	349	13	341
	366		365		361		357		353		348	
345	19	365	20	360	21	356	22	352	23	348	24	341
	364		364		360		356		352		348	
345	30	364	29	359	28	355	27	351	26	347	25	341
	363		363		359		355		351		347	
345	31	363	32	357	33	355	34	351	35	347	36	340
	340		340		339		339		339		339	

[P] The figures on the lines refer to the page.

T. N. 16. N. R. N. 6 W. Q. no. (Mn. Ind. a)

S. L. H. y.

South Boundary.

West On the South Boundary of sec. 36. T. 16. N. R. 6 W.
 15.00 To a brook 150 yards wide, corner S. W.
 40.00 Set a 7th sap post from which a
 Buck 6 in air. bears S 50 E 40 yards north; Pa,
 No. 14 " " " N 40 W. 55 " "
 70.50 To a spring corner S.
 75.00 " " " " " Good one
 80.00 Set a post for the cor. of sec. 35 & 36 from which a
 W Buck 8 in air. bears N 75 E 17 yards north; Pa,
 W Oak 9 " " " N 62 W. 36 " "
 Sand rather barren; Timber Buck, Sugar, Oak, Ash,
 Poplar, Horse food.

West On the South Boundary of sec. 35. T. 16. N. R. 6 W.
 22.00 To a brook 10 yards wide, corner S.
 40.00 Set a 7th sap post from which a
 Buck 18 in air. bears N 61 W 37 yards north; Pa
 No. 11 " " " N 61 E 19 " "
 80.00 Set a post for the cor. of sec. 34 & 35 from which a
 Buck 12 in air. bears N 54 E 37 yards north; Pa,
 W Oak 27 " " " N 77 W 13 " "
 Sand rolling and very rich; and good for farm-
 ing Timber Buck, Sugar, Walnut,

West On the South Boundary of sec. 34. T. 16. N. R. 6 W.
 40.00 Set a 7th sap post from which a
 Buck 20 in air. bears S 23 W. 13 yards north; Pa,
 No. 12 " " " West 2 " "
 80.00 A Sugar 8 in air. stands for the cor. of sec 33 & 34.
 from which a Sugar 14 in air. bears N 35 E 13 yards north.
 Sand similar to that here and rather rich.

West On the South Boundary of sec. 33. T. 16. N. R. 6 W.
 40.00 To a dry brook 20 yards wide, corner W
 40.00 Set a 7th sap post from which a

T. N. 16. MR. N. 6 W. 2nd Mer. Ind.

	Sugar 12 in diam. trees. S 71 E. 50 hnts each; 7a, W ash. 9 " " " " N 71 W. 47 " "
80.00	Set apart for the cor of sec 32 & 33 from which Elev. 6 in diam. trees. N 77 E. 37 hnts each; 7a, Beck 24 " " " " N 60 W. 24 " "
	East to same. West to rolling; Timber Beck, Sugar, Ash, &c. Good for farming.
<hr/>	
West	On the South Boundary of sec. 32. T. 16. MR. 6 W.
8.50	Top Brook 12 hnts each, leaves 16.
40.00	Set apart for the cor of sec 31 & 32 from which Sugar 18 in diam. trees S 44 W. 5 hnts each; 7a, Beck. 3 " " " " S 48 E. 3 " "
80.00	Set apart for the cor of sec 31 & 32 from which W ash. 12 in diam. trees S 23 E. 11 hnts each; 7a, Syring 14 " " " " N 47 W. 10 " "
	Land here Timber Beck, Hickory, Syring, Ash &c. Land making Good for farming.
<hr/>	
West	On the South Boundary of sec. 31. T. 16. MR. 6 W.
20.00	Top Brook 10 hnts each, leaves 11.
40.00	Set apart for the cor of sec 31 & 32 from which Beck. 9 in diam. trees. S 65 E. 17 hnts each; 7a, Do. 14 " " " " N 53 W. 24 " "
74.00	Set apart for the cor of sec 31 & 32 from which Sugar 9 in diam. trees. S 39 E. 8 hnts each; 7a, Beck 18 " " " " N 20 W. 30 " "
<hr/>	
	East Boundary N. 6° 30'
North	On the East Boundary of sec. 36. T. 16. MR. 6 W.
12.50	Top Brook 15 hnts each, leaves 11.
40.00	Set apart for the cor of sec 36 & 37 from which Beck 10 in diam. trees. S 11 E. 13 hnts each; 7a, Syring 12 " " " " N 63 W. 20 " "

T. N. 16. N. R. 6 W. 2nd Mer. Ind.

80.00	Set apart for the co of sec. 25 & 26 from which Beck. 10 in diam. trees. 16 E. 57 links each; & a Map. 10 " " " N 30 E. 23 " " Land a little rolling. Timber Walnut, Ash, Sugar, Beck. Poplar, &c. Good farming land.
North	On the East Bound of sec. 25 & 26. N. R. 6 W.
27.00	To a Brook 3 links wide, corner E.
40.00	Set apart for the co of sec. 24 & 25 from which Sugar. 10 in diam. trees. N 80 E 9 links each; & a Do. 24 " " " N 28 E 8 " "
80.00	Set apart for the co of sec. 24 & 25 from which N. Walnut 6 in diam. trees. 94 E. 15 links each; & a Sugar. 10 " " " N 88 W. 14 " " Land fertile and very good for farming.
North	On the East Bound of sec. 24. T. 16. N. R. 6 W.
40.00	Set apart for the co of sec. 24 from which Beck. 15 in diam. trees. N 77 E 40 links each; & a Hickory 24 " " " S 77 W 22 " "
80.00	Set apart for the co of sec. 23 & 24 from which Beck. 24 in diam. trees. 88 W. 45 links each; & a Sugar. 18 " " " N 60 E. 28 " " Land as above.
North	On the East Bound of sec. 13. T. 16. N. R. 6 W.
31.00	To a Brook 8 links wide, corner W.
40.00	Set apart for the co of sec. 12 & 13 from which Sugar. 8 in diam. trees. 82 E. 22 links each; & a Do. 9 " " " N 77. 16 " "
50.00	To a Brook 12 links wide, corner W.
75.00	" " Do. 6 " " " " "
80.00	Set apart for the co of sec. 12 & 13 from which Sugar. 12 in diam. trees. 16 W. 43 links each; & a Beck. 10 " " " North 3 " " Land as above.

T. No 15 N. R. No 6 W 2nd Div. Ind.

North On the East Boundary of sec. 12. T. 16. N. R. 6 W.
 July 17. 1819. Variation by Observation ^{7° 25'} 6° 30'

18.00 To a rock 20 links N.W. corner W.

40.00 Set a post from which
 W. Oak 12 in dia: beam. S 38 W. 16 links N.W. cor.
 Sugar. 15 " " " N 9 E. " "

46.00 To a rock 20 links N.W. corner W.

55.00 " Do. 20 " " " W.

80.00 Set a post for the corner of sec. 1. & 12 from which
 Sugar. 37 in dia: beam. S 32 W. 15 links N.W. cor.
 Do. 18 " " " N 5 W. 29 " "

Beautiful rich land Excellent for farming; hunt & collect
 an aspart herb

North On the East Boundary of sec. 1. T. 16. N. R. 6 W.

40.00 Set a post from which
 Beech 12 in dia: beam. S 77 W. 44 links N.W. cor.
 Sugar. 5 " " " N 33 E. 8 " "

Can do some on the South & North & plant out.
 Good land for farming.

80.00 Set a timber post for the corner of Townships N. 16. N.
 57 E. W.

North Boundary

West On the South Boundary of sec. 32. T. 17. N. R. 5 W.

5.00 To a rock 15 links N.W. corner E.

19.00 " Do. 20 " " " E.

40.00 Set a post from which
 Sugar 9 in dia: beam. N 27 W. 6 links N.W. cor.
 Beech. 20 " " " S 12 E. 39 " "

52.10 Set a post at the Range line 11 links North of the post cor. (ump?)
 Sec. 1 & 6. T. 16. N. R. 57 E. W. and set a post for the corner of
 Sec. 1 & 6. T. 16. N. R. 57 E. W. from which
 Beech 30 in dia: beam. S 57 W. 25 links N.W. cor.
 W. Oak. 8 " " " N 35 E. 25 " "

80.00 Set a post for the corner of sec. 31. & 32. T. 17. N. R. 5 W. from

T. N. 16. N. R. No 6 W. 2nd Mer. Ind.

whith, Neat 12 in air. beam. 877 E. 29 links each; 72,

W Oak. 24 " " " N 28 W 33 " "

Same first rate for farming Timber Buck, Sugar, Walnut
Ash, &c.

West. Oak. South Bound of Lu. 31. T. 17. N. R. 5 W. +

40.00 Set a 7th support from whith,

Buck. 9 in air. beam. N 60 E. 12 links each; 72,

Sugar. 12 " " " 850 W. 40 " "

80.00 Set a post for the crosser 17 + 17. N. R. 35 E. 77 from whith,

Buck. 18 in air. beam. N 40 E. 26 links each; 72,

Sugar. 12 " " " 815 W. 35 " "

Same level on 2nd rate. Part out each end; Timber
Buck, Sugar, Ash, Oak, Sugar &c. Middling grade.
Same for farming.

West Oak. South Bound of Lu. 36. T. 17. N. R. 6 W. N. 64 W

40.00 Set a 7th support from whith,

Buck. 8 in air. beam. 97 E. 28 links each; 72,

Do. 9 " " " N 46 W. 39 " "

79.00 Set a post for the crosser 6 links each. Corner S. W.

80.00 Set a post for the crosser 35 + 36. from whith,

Buck. 9 in air. beam. N 58 E. 4 links each; 72,

Sugar. 30 " " " 860 W. 37 " "

Same similar and good for farming.

West Oak. South Bound of Lu. 35. T. 17. N. R. 6 W

40.00 Set a 7th support from whith,

Buck. 12 in air. beam. 98 E. 24 links each; 72,

Sugar. 15 " " " 844 W. 21 " "

80.00 Set a post for the crosser 34 + 35 from whith,

Buck. 9 in air. beam. 83 W. 9 links each; 72,

Do. 10 " " " N 53 E. 19 " "

Same same good for farming.

West Oak. South Bound of Lu. 34 T. 17. N. R. 6 W

T. N. 16 N. R. N. 6 W. 2nd Mer. Ind.

40.00 Set a $\frac{1}{4}$ section from which
 Sugar. 10 in dia. trees. N 79 E. 8 miles north; Pa
 Do. 12 " " " S 47 W. 26 " "
 53.50 To a Brook 70 miles from corner S. W.
 80.00 Set a post for the corner. 33 & 34. From which
 Sugar. 9 in dia. trees. N 19 E. 13 miles north; Pa
 Buck. 9 " " " S 37 W. 12 " "
 Land very rich and good for farming. Part of the
 Bottom overflow.

West On the South Boundary of sec. 33. T. 17 N. R. 6 W.
 37.00 To a Brook 8 miles from corner S. W.
 40.00 Set a $\frac{1}{4}$ section from which
 Sugar. 18 in dia. trees. N 37 E. 22 miles north; Pa
 Ironwood 5 " " " S 1 E. 10 " "
 50.00 To a Brook 8 miles from corner S.
 62.00 " " Do. 8 " " " S.
 80.00 Set a post for the corner 32 & 33. From which
 Sugar. 10 in dia. trees. N 74 E. 10 miles north; Pa
 Do. 10 " " " S 63 W. 24 " "
 Land similar and fertile broken.

West On the South Boundary of sec. 32. T. 17 N. R. 6 W.
 40.00 Set a $\frac{1}{4}$ section from which
 Buck. 8 in dia. trees. N 25 E. 10 miles north; Pa
 Elm. 14 " " " S 12 E. 20 " "
 47.03 Intersected the Range line 3.92 miles South of the timber
 Set and set a post for the corner 1 & 6. T. 16 N. R.
 6 W. from which
 Sugar. 8 in dia. trees. S 48 E. 15 miles north; Pa
 Do. 8 " " " S 48 W. 7 " "
 Variation by observation 7' 10".
 60.00 To a Brook 8 miles from corner S.
 72.00 " " Do. 8 " " " S.
 80.00 Set a post for the corner 31 & 32 from which
 Sugar. 18 in dia. trees. N 57 W. 2 miles north; Pa

T. N. 16. N. R. N. 6 W. 2nd Mer. Sud:

Necker 27 in dist. from East 29 miles north;
 Land 2nd rate. Not for cotton but for
 Sugar, Oak, Gum, etc.
 Land making good for farming.

West Boundary

North	On the East Boundary of Sec. 36. T. 16. N. R. 7 W.
40.00	Set a 7th corner from which, Bush 8 in dist. from N 40 E. 13 miles north; Pa. Necker 10 " " S 36 W. 22 " "
45.50	To a Brook 7 miles north, corner W.
52.00	" " Do. 5 " " " "
59.00	" " Do. 12 " " " "
80.00	Set a post for the corner of Sec. 25 & 36 from which, Sugar 8 in dist. from N 16 E. 29 miles north; Pa. Oak 14 " " N 30 W. 24 " "

Land cottoning and making good soil. Timber Sugar,
 Oak Gum, Cherry, Walnut.

North	On the East Boundary of Sec. 25. T. 16. N. R. 7 W.
13.00	To a Spring Brook 4 miles north, corner W.
16.50	" " Do. 6 " " " "
36.00	" " Do. 10 " " " "
40.00	Set a 7th corner from which, Sugar 6 in dist. from S 75 W. 5 miles north; Pa. Bush 9 " " N 43 E. 15 " "
80.00	Set a post for the corner of Sec. 24 & 25 from which, Bush 10 in dist. from S 4 E. 28 miles north; Pa. Ringwood Oak " " N 25 E. 11 " "

Land similar to the last

North	On the East Boundary of Sec. 24. T. 16. N. R. 7 W.
7.00	To a Brook 15 miles north, corner W.
26.00	To a Spring Brook 4 miles north, corner W.
33.00	" " Do. 4 " " " "
40.00	Set a 7th corner from which,

T. N. 16. N. R. No 6 W. 2nd Mer. Ind.

	18 in. dist. from. S 57.27 W. 14 m. N. 45.14 W. 14 m.
55.00	Tral Creek. 100 links mid. corner NW
80.00	Set a post for the corner of sec. 13 & 24. from which Wacktony 8 in. dist. from. S 57.15 W. 15 m. N. 28 E. 22 m.
	14 m. " " " " " " " " " " " "
	South side of the creek rolling; North side, good bottom land.
North	On the East Corner of sec. 13. T. 16. N. R. 6 W.
33.50	To a Brook. 15 links mid. corner S.E.
40.00	Set a post for the corner of sec. 13 & 24. from which Brook. 5 in. dist. from. S 46 E. 22 m. N. 48 E. 28 m.
	Sugar. 24 m. " " " " " " " " " " " "
58.50	To a Spring Brook. 5 links mid. corner E.
79.00	" " Brook. 15 links corner E.
80.00	Set a post for the corner of sec. 12 & 13. from which Sugar. 18 in. dist. from. East 6 links mid. sec. ack 6 m. " " " " " " " " " " " "
	Equal every side and is good for farming; Timber Brook Sugar Walnut, Ash & Poplar, &c.
North	On the East Corner of sec. 12. T. 16. N. R. 6 W.
40.00	Set a post for the corner of sec. 12 & 13. from which Sugar. 8 in. dist. from. N 57 E. 13 m. N. 57 E. 13 m.
	Oak. 30 m. " " " " " " " " " " " "
49.00	To a Brook 12 links mid. corner S.E.
80.00	Set a post for the corner of sec. 1 & 12 from which Brook 9 in. dist. from. S 72 W 9 m. N. 44 E. 25 m.
	Sugar. 13 m. " " " " " " " " " " " "
	Land is rather broken Timber Brook Sugar, Oak & Ash.
North	On the East Corner of sec. 1. T. 16. N. R. 6 W.
28.00	To a Brook. 12 links mid. corner S.E.
40.00	Set a post for the corner of sec. 1 & 12 from which Oak 36 in. dist. from. S 32 W 17 m. N. 52 E. 25 m.

I. N. 16. MR. N. 67. 2nd. Mrs. L. 2.

7608 Buck. 14 in air: turn. 53 E. 28 units dist.
To the end of T^s 16. N. 15. 677 M. { Sugar 8 148 E 15 lbs. dist.
Land de same about mid. { 20 8 N 48 W 7 " "

Note this Cor. is 100.32 ch. 97 Me. } Surveyed by
C. of Town Cor. on Connection } William Harris Dd.
line

Subdivisions

North
 21.38 To Red Oak 30 in dist. in the mts.
 29.35 To Brook 10 miles, same W.
 " 20.00 At a 1/4 report from which,
 Keely 13 in dist. from N 78 E. 7 miles, same, W.
 Do 20 " " S 41 W 16 "
 60.82 To a Sugar. 18 in dist. in the mts.
 80.00 At a report for the crop 25, 26. S 57 W. from which,
 Brook 10 in dist. from N 10 W. 16 miles, same, W.
 Apr. 5 " " " S 22 E 4 "
 Land good for farming Timber Sugar, Brook, Pop.
 low Keely 1/4. N 8. some small spec.

East
40.00
79.50
On a Klamath line between Co. 25 & 36. T16. NR. 6. W
Set a trap for supt
Entered the East Branch of Township where I found
the marks defaced by the Indians a few days past.
Land good for farming. Timber Birch, Spruce,
Fir, etc. No small species.

47.25
 39.45
 49.50

Out the new line between Sec. 25 & 36. T. 16. N. R. 6 W.
 Set the temporary post on the new line at the angle for the cor
 cor of the saprun which is
 Maple. 6 in diam from S 10 E 7/8 miles north; Pa
 Ho. 10 " " " N 10 W 5 " "
 To the first cor of Sec. 25. 26. 35 & 36.

North Return Dec. 25 1826. F.M. 11 A. 6 W
20.08 To alym 15 no deer in the line.

T. N. No. N. N. No. 677 @ 11.2 (Mr. Sud.)

40.00	Set a 7/16 sap post from which, Beach. 5 in diam. beam. N46 W 5 links each; or Ash. 12 " " " S78 E 17 " "
80.50	Set a post for the cor of sec. 23, 24, 25 & 26 from which, Sugar. 6 in diam. beam. N36 E. 5 links each; or, Walnut 24 " " " S78 W 23 " " Land good and good for farming Timber by gum Sugar, Walnut, Poplar, N. S. Spruce.
East	On a Run across line between Sec. 24 & 25 T. 16. N. R. 6 W.
40.00	Set a timber 7/16 sap post
79.46	Enter east the East Branch at 14 links north of the post cor of sec. 24 & 25. Land good and good for farming; Timber Sugar, Gum. Poplar, Walnut, N. S. Spruce.
West	On the line between Sec. 24 & 25 T. 16. N. R. 6 W.
39.73	Set the timber 7/16 sap post at the cor each with the line from which, Sugar 10 in diam. beam. N65 E. 14 links each; or, Ash 5 " " " N74 W 17 " "
79.46	To the post cor of sec. 23, 24, 25 & 26.
North	Return Sec. 23 & 24. T. 16. N. R. 6 W.
19.50	To an Ash. 15 in diam. with line.
40.00	Set a 7/16 sap post from which, Walnut 18 in diam. beam. S49 W. 15 links each; or, Beach. 8 " " " N49 E. 13 " "
43.30	To a Rock 20 W. side, corner W.
78.50	To the West fork of Racoon Creek 50 W. side, corner W.
80.00	Set a post for the cor of sec. 13, 14, 23 & 24 from which, Sugar 6 in diam. beam. S40 W. 25 links each; or, Oak 5 " " " N68 E. 30 " " Land good and good for farming Timber Sugar, Gum Ash & Poplar N. S. Spruce.
East	On a Run across line between Sec. 13 & 24 T. 16. N. R. 6 W.

T. No 16. N. R. No 6 W 2nd Mer. Ind.

9.50 To the West fork of Raccoon Creek
 40.00 Set a trap in support
 69.90 To a Brook 10 miles from N.
 79.50 Enter at the East Boundary 18 miles North of the post
 cor of Lat. 13° 24' T. 16. N. R. 6 W.
 Land well and good for farming; Timber Sugar
 Walnut, Poplar, N. G. Spruce.

West On the line between Lat. 13° 24' T. 16. N. R. 6 W.
 39.76 Set the trap in support at the north end of the line.
 from which, Buckeye 4 in diam. bears. 94277.6 lbs with
 and a Sugar. 5 " " " N 10 E 25 " "
 79.50 To the post cor of Lat. 13. 14. 23 & 24.
 Oct. 27. 1819

North Return Lat. 13° 14' T. 16. N. R. 6 W.
 18.45 To a Brook. 15 in diam. in the line.
 40.00 Set a trap in support from which,
 Sugar 10 in diam. bears. N 33 W 9 miles north. 72,
 Do. 4 " " " 21 E 15 " "
 55.00 To a Sugar 30 in diam. in the line.
 80.00 Set a post for the cor of Lat. 11. 12 13 & 14 from which,
 Red Oak 20 in diam. bears. N 8 W 8 miles north, 72,
 7 Buck. 10 " " " 55 W 10 " "
 Land well and good for farming; Timber Sugar, Wal-
 nut, Buck, Hickory & N. G. Spruce.

East On a Run down line between Lat. 12° 13' T. 16. N. R. 6 W
 40.00 Set a trap in support
 69.50 To the North fork of Raccoon Creek 40 miles from N.
 80.20 Enter at the East Boundary 36 miles North of the post
 cor of Lat. 12° 13'.
 Land good for farming; Timber Sugar, Walnut, Poplar,
 Hickory & N. G. Spruce.

West On the line between Lat. 12° 13' T. 16. N. R. 6 W

T. N^o 16. N. R. N^o 6. W. Quad. Min. Ind.

40.10 Set the tripit 7/8 support at the cor dish on the line
from which, Sugar 12 in dia. trees. N 38 E. 23 the dish
and a No. 10 " " " S 31 W 30 " "
80.20 To the cor of sec. 11, 12, 13 & 14.

North Return Sec. 11 & 12 T. 16. N. R. 6 W
20.84 To a Sugar 30 in dia. in the line.
40.00 Set a 7/8 support from which
Oak 30 in dia. trees. N 25 E. 20 huts dish; va
Maple 24 " " " S 15 W 11 " "
59.67 To a Poplar 18 in dia. in the line.
80.00 Set a post for the cor of sec. 12, 11 & 12 from which
Bech. 15 in dia. trees S 71 W. 7 the dish; va
No. 10 " " " N 27 E. 29 " "
Land level and good for farming; Timber Sugar,
Walnut Poplar, Ash & Spruce.

East On a line from the South of Sec. 1 & 2 Return Sec.
1 & 2 T. 16. N. R. 6 W
40.00 Set a tripit 7/8 support
80.24 Enter at the East of the 60 units North of the post
cor of sec. 1 & 2 Land level and good for farming
Timber Sugar Walnut Bech & Poplar Ash & Spruce

West On the line between Sec. 1 & 2 T. 16. N. R. 6 W
40.12 Set the tripit 7/8 support at the cor dish on the line
from which, Sugar 15 in dia. trees. S 20 W. 5 the dish; va
No. 10 " " " N 6 W 23 " "
80.24 To the post cor of sec. 1, 2, 11 & 12

North Return Sec. 1 & 2 T. 16. N. R. 6 W
16.89 To a Sugar 10 in dia. in the line.
40.00 Set a 7/8 support from which
Ash 10 in dia. trees. N 17 W 24 huts dish; va
Bech 10 " " " S 37 E 14 " "
40.69 To a Beech 12 units in, corner W

351

T. No 16. N. R. No 677 Ind. Min. Ind.

62.00 To Sugar 10 in dia: in the line.
 78.00 Take out the N. Boundary of the Township and set a
 post for the cor of sec. 18 & 19 from which
 Reck. 18 in dia: bears N 20 E. 18 links dish: & a
 Syon. 30 " " ; S 45 W 31 "
 Land here can be good for farming; Sugar, Poplar,
 Syon & Reck. W 8 Spruce.

North Between Sec. 34 & 35 T. 16. N. R. 677
 21.05 To a W Oak 24 in dia: stands in the line.
 32.56 To a Birch 10 links midw. corner S.W.
 40.00 Set a post from which
 Syon. 24 in dia: bears N 37 W 29 links dish: & a
 Do. 10 " " ; S 22 E 12 " "
 63.63 To a Syon 10 in dia: in the line
 80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from which
 Syon. 20 in dia: bears N 34 E. 13 links dish: & a
 Do. 12 " " ; S 40 W 28 "
 Land here can be good for farming; Timber Sugar, Syon
 Walnut Reck & W 8 Spruce.

East On a Random line between Sec. 26 & 35. T. 16. N. R. 677
 40.00 Set a temporary post
 80.00 Intersect the N.E. line 16 links North of the post on
 of sec. 25, 26, 35 & 36.
 Land here can be good for farming; Timber Sugar,
 Reck. Poplar, Ash & S.

West On the line between Sec. 26 & 35 T. 16. N. R. 677
 40.00 Set the temporary post at the cor dish on the line
 from which Syon 9 in dia: bears N 61 W 10 links dish
 and an corner 3, " ; S 50 E 10 "
 80.00 To the post on of sec. 26, 27, 34 & 35.

North Between Sec. 26 & 27 T. 16. N. R. 677
 35.50 To a Wild Cherry 10 in dia: in the line

T. No 16. N. R. No 6 W. 2nd Mer. Sec.

40.00 Set a 7/4 support from whisks
 Sugar. 12 in dia: bears N 54 W 9 links dish; & a
 Do. 20 " " " S 79 E 26 " "
 63.26 To a Brook. 18 in dia: in the line.
 78.89 To a Brook 10 links wide, corner N. W.
 80.00 Set a post for the cor of sec. 22, 23, 26 & 27 from whisks
 Sugar. 18 in dia: bears N 77 W 6 links dish; & a
 Walnut 24 " " " S 7 E 6 " "
 Good level and good for farming Timber Sugar, Wal-
 nut Poplar & Spruce W 8 Spruce Oct. 28. 18 19.

East On a Random line between Sec. 23 & 26. N 16 N R 6 W.
 27.86 To a Brook 10 links wide, corner S. W.
 40.00 Set a temporary support
 80.20 Set a post on the N 75 line 39 links North of the post cor of sec.
 23, 24, 25 & 26.
 Land 1/2 mile, hilly; 2nd 1/2 level and good for farm-
 ing Timber Sugar, W Oak, Hickory and Walnut,

West On the true line between Sec. 23 & 26. N 16 N R 6 W.
 40.10 Set the temporary support at the cor dish on the true line
 from whisks, Brook. 18 in dia: bears N 33 W 10 the dish;
 and a Do. 9 " " " S 23 E 9 " "
 80.20 To the cor. of sec. 22, 23, 26 & 27.

North Between Sec. 22 & 23. N 16 N R 6 W
 8.75 To a Brook 10 links wide corner S. W.
 21.50 To a W Oak 30 in dia: in the line
 35.00 To the North Fork of Raccoon locate 50 links wide cor. W.
 40.00 Set a 7/4 support from whisks
 W Oak 6 in dia: bears N 87 W 20 links dish; & a
 Hackberry 4 " " " S 24 E 20 " "
 61.83 To a Brook. 12 in dia: in the line
 80.00 Set a post for the cor of sec. 14, 15, 22 & 23 from whisks
 Sugar. 18 in dia: bears S 65 W 10 links dish; & a
 Do. 5 " " " N 33 E 29 " "

T. No 16. N.R. 6-7 2nd Mm. Sec.

Land good for farming. Timber Birch, Poplar, Walnut Sugar, &c. W & Spec.

East Cap Random line between Sec 14 & 23. T. 16. N.R. 6-7
 40.00 Set a timber 1/4 capost
 80.15 Intersect the N & S line 12 links North of the first cor of
 Sec 13. 14. 23 & 24
 Land good for farming some small fields. Timber
 Sugar Walnut, Blackberry Birch &c. W & Spec.

West On the new line between Sec 14 & 23. T. 16. N.R. 6-7.
 40.00 Set the timber 1/4 capost at the ar chis. on the new line
 from which, Sugar. 6 in dist. from. S & E 18 links chis
 under Sec. 20 " " " N & E 35 " "
 80.15 To the first cor of Sec 14 15. 22 & 23.

North Between Sec 14 & 15 T. 16. N.R. 6-7.
 23.11 To a Brook 12 in dist. in the line.
 34.80 To a Brook 8 links mid, corner S.W.
 40.00 Set a 1/4 capost. from which,
 1/2 Brook. 12 in dist. from. N & W 19 links chis, & a
 corner 4 " " S & E 15 " "
 56.24 To an Elm. 18 in dist. in the line.
 80.00 Set a post for the cor of Sec 10. 11. 14 & 15 from which,
 Sugar. 18 in dist. from. S & E 24 links chis; & a
 Sec. 12 " " " N & E 26 " "
 Land level and good for farming; Timber Sugar Walnut,
 Poplar &c. ash. W & Spec.

East Cap Random line between Sec 11 & 14 T. 16. N.R. 6-7
 27.50 To a Brook 8 links mid, corner S.W.
 40.00 Set a timber 1/4 capost
 80.00 Intersect the N & S line 30 links South of the first cor
 of Sec 11. 12 13 & 14
 Land level and good for farming; Timber Sugar
 Walnut, ash, Poplar &c. W & Spec.

T. N. 16. N. R. N. 6 W. 2nd. Min. Ind.

West On the true line between Sec. 11 & 14. T. 16. N. R. 6 W.
 40.00 Set the temporary 1/4 section at the ar ditch on the true line
 from which Sugar 10 in dia. bears N 80 W. 20 links ditch
 under N Walnut 8 " " " 80 E. 27 " "
 80.00 To the post on of sec. 10, 11, 14 & 15.

North Return Sec. 10 & 11. T. 16. N. R. 6 W.
 22.69 To a Sugar 10 in dia. in the line.
 40.00 Set a 1/4 section from which
 Beach 10 in dia. bears N 71 W. 27 links ditch; Va
 Sugar 12 " " " 32 E. 40 " "
 68.21 To a Sugar 12 in dia. in the line.
 80.00 Set a post for the cor of sec. 2, 3, 10 & 11. from which
 Sugar 18 in dia. bears S 26 W. 9 links ditch; Va
 Beach 6 " " " 75 E. 6 " "
 Land here and good for farming; Timber Sugar,
 Poplar, Hickory, W. Spruce.

East On a Runaway line between Sec. 2 & 11. T. 16. N. R. 6 W.
 40.00 Set a temporary 1/4 section.
 79.73 Intersect the N & S line 38 links north of the post on of
 Sec. 1, 2, 11 & 12
 Land here and good for farming; Timber Beach,
 Sugar & Poplar, W. Oak & W. Spruce & Maple.

West On the true line between Sec. 2 & 11. T. 16. N. R. 6 W.
 39.56 Set the temporary 1/4 section at the ar ditch on the true line from
 which Beach 12 in dia. bears N 60 E. 33 links ditch; Va
 Sugar 14 " " " 34 E. 24 " "
 79.73 To the post on of sec. 2, 3, 10 & 11.

North Return Sec. 2 & 3. T. 16. N. R. 6 W.
 21.58 To a Sugar 10 in dia. in the line.
 40.00 Set a 1/4 section from which
 Ironwood 4 in dia. bears N 71 E. 1 link ditch; Va
 Beach 5 " " " 75 W. 16 " "

T. No 16. N. R. No 6. W 2nd Mer. Ind.

47.25 To a Brook 10 miles wide, between S.W.
 60.90 To a Sugar. 12 in diam. in the line
 76.84 Entered the St. Brandon and set a post for the corner of
 273 from which
 Brook 10 in diam. trees. S48 E. 17 miles creek; S.W.
 Sugar. 10 " " " S89 W. 10 " "
 Land here and good for farming; Timber Beech,
 Sugar. Ash, Poplar, Walnut &c. W8 Spec.
 Oct. 29. 1819

North Return to 33 & 34 T. 16. N. R. 6 W.
 19.50 To a Sugar. 12 in diam. in the line.
 40.00 Set a post for the corner of 27, 28 33 & 34 from which
 Sugar. 8 in diam. trees. N41 E. 17 miles creek; S.W.
 Walnut 24 " " " S33 W. 21 " "
 63.70 To a Blackberry 20 in diam. stands in the line.
 80.00 Set a post for the corner of 27, 28 33 & 34 from which
 W Oak 20 in diam. trees. S36 E. 19 miles creek; S.W.
 Birch. 6 " " " N73 E. 31 " "
 Land here and good for farming; Timber Sugar,
 Walnut, W Oak &c. W8 Spec.

East On a Random line between Sur. 27 & 34
 40.00 Set a temp. post in support
 79.91 Entered the N.W. line at the post cor. of Sur. 26, 27, 34 & 35
 Land here and good for farming; Timber Sugar, Spruce
 Birch. W Walnut, &c. W8. Hornbeam

West Cuts the line between Sur. 27 & 34. T. 16. N. R. 6 W.
 39.95 Set the temp. post in support at the corner in the line from
 which, W Ash. 6 in diam. trees. S85 E. 26 miles creek; S.W.
 Sugar. 6 " " " S50 W. 19 " "
 79.91 To the post cor. of Sur. 27, 28 33 & 34

North Return to Sur. 27 & 28 T. 16. N. R. 6 W.
 21.88 To a Birch 10 in diam. stands in the line.

I. N. 16. S. R. N. 6 N Quad New Sugar.

- 40.00 Set a $\frac{1}{4}$ section from which
 W Oak + in diam. trees. S 8 E. 7 links north; Pa,
 Walnut 36. " " " N 27 N 31. " "
- 65.82 To a W Oak 20 in diam. in the line.
- 80.00 Set a post for the corner 21, 22, 27 & 28 from which,
 W Oak 18 in diam. trees. N 71 E. 10 links north; Pa,
 Red 4 " " " N 30 N 3 " "
- Said land and good for farming; Timber Sugar,
 Sugar, Red W Oak. & W. Spruce.

- East On a Raccoon line between Sec. 22 & 27. I. 16. S. R. 6 N.
- 20.33 To the North fork of Raccoon Cr. 50 links north, corner S. N.
- 40.00 Set a temp. $\frac{1}{4}$ section
- 42.00 To the fork of Raccoon from corner S. N.
- 78.30 To a post 10 links north, corner S. N.
- 80.00 Set a post for the N. S. line of links South of the post on of
 Sec. 22, 23, 26 & 27.
 Land good for farming; Timber Red, Walnut, W Oak,
 Sugar, W. Spruce.

- West On the line between Sec. 22 & 27. I. 16. S. R. 6 N.
- 40.00 Set the temp. $\frac{1}{4}$ section at the airship in the line from
 which Sugar. 10 in diam. trees. S 30 N. 47 links north; Pa,
 Last named post in a Creek.
- 80.00 To the post on of Sec. 21, 22, 27 & 28.

- North Between Sec. 21 & 22 I. 16. S. R. 6 N.
- 39.20 To W Raccoon 50 links north, corner N. 5 N.
- 40.00 Set a $\frac{1}{4}$ section from which,
 Sycamore 18 in diam. trees. S 12 N 23 links north; Pa,
 Red Red 4 " " " N 16 E. 16 " "
- 58.94 To a Hackberry 12 in diam. in the line.
- 78.30 To a Birch 12 links north, corner S. N.
- 80.00 Set a post for the corner 15, 16, 21 & 22 from which,
 W Oak 10 in diam. trees. North 27 links north; Pa,
 Sugar. 10 " " " S 44 E. 41 " "

T. No. 16. N. R. No. 6 N. 2nd Mer. Ind.?

Land good for farming; some small Kells, Sugar, Walnut, Poplar & Walnut, W. Spr.

East On a random line between Lat. 15 & 22. T. No. 16. N. R. 6 N.
4.75. To a point 12 miles wide, lower E. N.
40.00 Set a trap 1/2 in forest
80.00 Intersect the N. R. line. 33 miles South of the post on of
Lat. 14.15, 22, & 23.
Land good for farming; some Sugar, Poplar, & Walnut
W. Spr.

West On the line between Lat. 15 & 22. T. No. 16. N. R. 6 N.
40.00 Set the trap 1/2 in forest at the ar ditch on the line from which
Headspry 10 in diam. trees. S 70 E. 16 miles wide; Pa;
Sugar. 12 " " " N 77 W 29. "
80.00 To the post on of Lat. 15.16. 21 & 22.

North Between Lat. 15 & 16. T. No. 16. N. R. 6 N.
22.70 To a Walnut, 20 in diam. stands on the line.
40.00 Set a trap 1/2 in forest from which
Sugar. 4 in diam. trees. S 41 W. 10 miles wide; Pa;
Do. 9 " " " S 65 E. 10 "
80.00 Set a post for the on of Lat. 9.10 15 & 16 from which
Sugar. 15 in diam. trees. S 40 E. 11 miles wide; Pa;
Headspry. 6 " " " S 70 E. 14 "
Land level and good for farming some Sugar, Peach
Kells, Poplar, &c. W. Spr.

East On a random line between Lat. 10 & 15 T. No. 16. N. R. 6 N.
40.00 Set a trap 1/2 in forest
80.00 Intersect the N. R. line 50 miles South of the post on of
Lat. 10.11. 44 & 15.
Land level and good for farming; some Peach, Sugar,
Oak & Kells.

West Between Lat. 10 & 15 T. No. 16. N. R. 6 N.

T. N. 16. S. R. N. 6. W. 2nd Mer. Sud.

40.00	Set the trap 7 1/2 sapest at the ar. side with the line from which Sugar. 24 in dist. from N 80 E. 28 links, with; and a Do. 10 " " " S 80 W. 16 " "
80.00	To the first cor of lws. 9. 10. 15 & 16. Oct. 30. 1819.
North	Return from Sud. 9 & 10 T. 16. S. R. N. 6 W.
21.50	To a Brook. 8 links with, corner W.
24.80	To Sugar. 10 in dist. in the line.
40.00	Set a 7 1/2 sapest from which Brook. 24 in dist. from N 72 E. 16 links, with; & Sugar. 10 " " " S 70 W. 27 " "
59.38	To a Brook. 10 in dist. in the line.
70.00	" " Brook 8 links with, corner W.
80.00	Set apest for the cor of lws. 3. 4. 9 & 10. from which Sugar. 10 in dist. from N 15 E. 18 links, with; & Brook. 10 " " " S 22 W. 25 " "
	Land used and good for farming; Timber Sugar, Brook, Poplar, Red Oak. W. Spruce.
East	On a Random line between Sud. 3 & 10. T. 16. S. R. 6 W.
40.00	Set a trap 7 1/2 sapest
79.90	Intersect the N 15 E line with the first cor of lws. 2. 3. 10 & 11. Land good for farming; Timber Sugar, Brook, Poplar, W. Oak & S. W. Spruce & S.
West	On the new line between Sud. 3 & 10. T. 16. S. R. 6 W.
39.95.	Set the trap 7 1/2 sapest at the ar. side on the new line from which Sugar. 6 in dist. from N 15 E. 17 links, with; & Brook. 10 " " " S 21 W. 31 " "
79.90	To the first cor of lws. 3. 4. 9 & 10.
North	Return from Sud. 3 & 4 T. 16. S. R. 6 W.
24.46	To a Blue ash. 10 in dist. in the line.
40.00	Set a 7 1/2 sapest from which Height 8 in dist. from N 52 W. 7 links, with; & Sugar. 4 " " " S 46 W. — " "

359

T. No 16. N. R. No 677 Oak Man. Ind.

40.50 To a Brook. 15 links wide, across N.
 51.50 " " Do. 10 " " " " N.
 55.27 " " Buck. 24 in dia. in the line.
 76.70 Set a post for the end of the
 344. from which
 Buck. 12 in dia. line. 15 N. 40 links north, &
 Sugar. 12 " " " 140 N. 23 "
 Land here made good for farming; Timber Sugar, Buck
 Poplar, &c. Hickory N8 Spruce.

North Return Line 32 & 33 T. 16. N. R. 677.
 87.49 To a Sugar 12 in dia. stand in the line.
 40.00 Set a post from which
 Sugar. 12 in dia. line. 16 N. 19 links north, &
 Buck. 18 " " " 160 E. 45 "
 56.47 To a Buck 30 in dia. stand in the line.
 80.00 Set a post for the end of line 28 & 29 32 & 33 from which
 Buck 10 in dia. line ————— &
 Sugar. 9 " " " 152 N. 16 links north.
 Land here made good for farming; Timber Sugar
 Buck Walnut, Poplar, & Spruce. N9 Spruce.

Cash Oak Random line between Line 28 & 33 T. 16. N. R. 677.
 40.00 Set a stump 7/8 a post
 80.00 Set out the N. 13 line 30 links south of the post end of
 Line 27. 28 & 33 & 34.
 Land here made good for farming Timber Buck, Spruce
 Sugar, N Oak &c. N8 Spruce.

West On the same line between Line 28 & 33 T. 16. N. R. 677.
 40.00 Set the stump 7/8 a post at the arch in the line
 from which Sugar. 6 in dia. line. 16 N. 16 links north;
 and a Red Oak 10 " " " 58 E. 16 " "
 80.00 To the post end of line 28 & 29. 32 & 33.

North Return Line 28 & 29 T. 16. N. R. 677.

T. N. 16. N. R. No 6 W 2nd Mer. Ind.

23.08	Set a line 18 in diam. in the line.
40.00	Set a post from which Poplar 24 in diam. bears. N 65 W 21 links each, to Sugar. 8 " " " North 10 " "
57.19	Set a line 10 in diam. in the line.
80.00	Set a post for the corner of Sec 20, 21, 28 & 29 T. 16. N. R. 6 W. from which Sugar. 10 in diam. bears. N 82 E. 10 links each and a Do 18 " " " S 82 W 21 " Land level and good for farming; Timber Sugar, Walnut, Poplar, & 118 Spruce. Nov. 1 st 1819.
East	On a line between Sec 21 & 28 T. 16. N. R. 6 W
40.00	Set a timber post for a post
55.50	Set a post 10 links each, corner W.
80.00	Set a post for the NW corner of Sec 21, 22, 27 & 28 Land level and good for farming; Timber Beech Poplar, Oak, Spruce & Walnut,
West	On the line between Sec 21 & 28 T. 16. N. R. 6 W
40.00	Set the timber post for a post at the corner with the line from which Sugar. 18 in diam. bears. N 34 W 17 links each; & a Do. 8 " " " N 76 E 20 " "
80.00	Set the post for Sec 20, 21, 28 & 29 Nov. 1 st 1809
North	Between Sec 20 & 21. T. 16. N. R. 6 W
27.29	Set a line 20 in diam. in the line.
40.00	Set a post from which Cherry 5 in diam. bears. N 5 W 22 links each; & a Oak 18 " " " S 85 E. 19 " "
57.29	Set a Walnut, 36 in diam. stand in the line.
80.00	Set a post for the corner of Sec 16, 17, 20 & 21. from which Buckeye 8 in diam. bears. N 6 W 20 links each; & a Do 4 " " " N 70 E. 20 " Land level and good for farming; Timber Walnut Poplar, Sugar, Spruce, &c. N 8 Spruce.

361

T. No 16 N R. No 6 W Quad Mer. Ind. a

East One Random line between Sec 16 & 21 T. 16. N. R. 6 W
 24.00 To the North Fork of Raccoon 50 links mid, corner N. W.
 40.00 Set a temp. 7/8 support
 49.40 To the North Fork of Raccoon corner S. W.
 53.00 Come out of creek on the same side.
 80.00 Intercept the N. W. S. line 20 links North of the post on of
 Sec. 13. 16. 21 & 22
 Land 1/2 mile deep and wide, 2nd 1/2 from N. W. withy.
 Timber Walnut, Ash Sugar, W Oak, & M. S. Spruce.

West On the line between Sec 16 & 21. T. 16. N. R. 6 W
 40.03 Set the temp. 7/8 support at the arched on the line from
 Whicker Sugar. 8 in dist. from S. 54 E. 16 links dist;
 under Kent 13. " " N 83 W 11 " "
 80.06 To the cor of Sec. 16. 17. 20 & 21.

North Return Sec. 16 & 17 T. 16. N. R. 6 W
 10.05 To the North Fork of Raccoon Cr. 100 links mid, corner N
 19.40 To ashugar 12 in dist. in the line.
 40.00 Set a 7/8 support from whicker,
 Sugar 12 in dist. from N 78 E. 30 links dist; & a,
 Sugar. 12 " " " N 40 W 27 " "
 66.50 To W Oak 24 in dist. in the line.
 68.25 To Brook 12 links mid, corner S. W.
 80.00 Set a post for the cor of Sec. 8. 9. 16. & 17 from whicker,
 Sugar. 18 in dist. from S 87 E. 30 links dist; & a,
 Beach. 10 " " " S 11 W. 15 " "
 Land good for farming Timber Sugar, Beach, Walnut,
 & Apple, W. Spruce. &c.

East One Random line between Sec 9 & 16 T. 16. N. R. 6 W
 32.30 To Brook 8 links mid, corner S. W.
 40.00 Set a temp. 7/8 support
 80.00 Intercept the N. W. S. at the cor of Sec 9. 10. 15 & 16.
 Land good and good for farming; Timber Sugar, Beach
 Apple, W Oak, &c. W. Spruce.

T. N^o 16. N. R. N^o 6 W. 2nd Mm. Ind.

West	On the new line between Sec. 9 & 16. T. 16. N. R. 6 W.
40.00	Set the trip 1/4 square at the ar ditch on the new line from which Sugar. 10 in dia. trees. S 89 E 24 the ditch; and a Buck. 10 " " S 11 W. 22 " "
80.00	To the post on of sec. 8. 9. 16 & 17.
North	Between Sec. 8 & 9 T. 16. N. R. 6 W.
19.64	To a Walnut 30 in dia. in the line
40.00	Set a 1/4 square from which Sugar. 5 in dia. trees. S 60 W. 13 the ditch; No. 12 " " N 65 E. 25 " "
54.00	To a Brook 15 links wide, across S. W.
61.50	To an Elm 30 in dia. in the line.
80.00	Set a post for the corner of sec. 4. 5. 8 & 9 from which Sugar. 12 in dia. trees. N 40 W. 19 links ditch; & a No. 10 " " S 80 E. 17 " "
	Land good for farming; Timber Sugar. Buck, W. Oak, Walnut, &c. 118 Spec.
East	On a Random line between Sec. 4 & 9. T. 16. N. R. 6 W.
16.00	To a Brook 15 links wide, across S. W.
40.00	Set a trip 1/4 square
79.80	Intersect the North & South line 16 links South of the post on. 3 1/4 9 110
	Land good for farming; Timber Sugar. Buck, Walnut, &c. 118 Spec.
West	On the new line between Sec. 4 & 9 T. 16. N. R. 6 W.
39.90	Set the trip 1/4 square at the ar ditch on the new line from which Sugar. 12 in dia. trees. S 24 E. 13 links ditch; and a No. 6 " " S 24 W. 21 " "
79.80	To the corner of sec. 4. 5. 8 & 9.
North	Between Sec. 4 & 5 T. 16. N. R. 6 W.
20.45	To a Sugar. 18 in dia. in the line
40.00	Set a 1/4 square from which

T. N. 16. N. R. N. 6 W. 2nd M. Sec.

56.71.	Buckeye 6 in dia: trees. N 61 W. 12 links north; Va, Sugar. 18 " " " S 40 W 33 " "
75.78	Sugar. 15 in dia: in the line. Intersect the N. Boundary of the Township and set apart for the cor of sec. 5 & 6. from which a, W. Walnut 12 in dia: trees. N 20 W. 19 links north; Va, Hickberry 18 " " " S 82 W 33 " " Land good and good for farming. Timber Sugar, Walnut, Hickberry, Ash, &c. 11 Spec. N. 1. 2 nd 1819.
North	Return Sec. 31 & 32 T. 16. N. R. 6 W.
20.92	Sugar. 24 in dia: in the line.
39.25.	Top Brook 10 links north, corner T. W.
40.00	Set a 7 th corner from which a, Buck. 8 in dia: trees. N 39 W 6 links north; Va, Do. 8 " " " S 64 E. 15 " " Land good and good for farming; Timber Sugar, Poplar, Buck. Oak, &c. 11 Spec.
East	On a known line between Sec. 29 & 32 T. 16. N. R. 6 W.
40.00	Set a temp. 1 st 7 th corner
79.60	Intersect the N. W. line 12 links South of the first. cor of Sec. 28, 29, 32 & 33. Good land farming land Timber Sugar, Gum, W Oak, Buck Hickory &c. Spec.
West	On the line between Sec. 29 & 32 T. 16. N. R. 6 W.
39.80	Set the temp. 7 th corner at the ar arch in the line from which a, Buck. 18 in dia: trees. N 27 E. 11 links north; Va, Do. 12 " " " S 27 W. 15 " " 79.60 At the first cor of sec. 29, 30, 31 & 32
West	Return Sec. 31 & 32 T. 16. N. R. 6 W.
40.00	Set a 7 th corner from which a, Buck 8 in dia: trees N 72 E. 6 links north; Va, Sugar. 4 " " " S 51 W 11 " "

T. N. No. 16 N. R. No. 6 N. D. M. Ind.

45.90	To a Brook 15 links mile, comes N.
73.23	Intersect the West Boundary of Township 43 links north of the post on of sec. 25 & 36. T. 16. N. R. 6 N. and set a post for " on of sec. 30 & 31. from which Oak. 12 in diam. trees. S 17 N 29 links north. Land highly and good for farming; Timber N Walnut, Cherry, Gum & Sugar, Poplar &c. W & Spruce.
North	Return Sec 29 & 30 T. 16. N. R. 6 N.
21.52	To an Oak. 12 in diam. stands in the line.
40.00	Set a 7/8" sap post from which Sugar. 12 in diam. trees. N 21 E. 14 links north. Pa Buck. 4 " " " S 18 E. 5 " "
66.49	To a Buck. 12 in diam. in the line.
80.00	Set a post for the cor of sec. 19. 20. 29 & 30 from which Oak. 18 in diam. trees. S 80 E. 7 links north; Pa Buck. 12 " " " N 10 E. 11 " " Land good and good for farming; Timber Sugar, Buck & Oak, Oak &c. W & Spruce. &c.
East	On a Random line between Sec. 20 & 29. T. 16. N. R. 6 N.
40.00	Set a temporary 7/8" sap post.
61.50	To a Brook 10 links mile, comes N.
79.65	Intersect the N 13 line 45 links South of the post on of Sec. 20. 21. 28 & 29. Land good and good for farming; Timber Sugar, Buck and Walnut, & Poplar, W & Spruce.
West	On the true line between Sec. 20 & 29. T. 16. N. R. 6 N.
39.83 1/2	Set the temporary 7/8" sap post at the arched in the true line from which, Buck 40 in diam. trees. N 60 W. 11 links north; and a Do. 10 " " " S 40 E 19 " "
79.65	To the cor of sec. 19 20 29 & 30.
West	Return Sec. 19 & 30. T. 16. N. R. 6 N.
40.00	Set a 7/8" sap post from which

T. N. 16. S. R. N. 6 W. 2nd Mer. Ind.

	Poplar. 30 in diam. trees. N 64 W. 10 miles north; Va. Y. Beech. 12 " " " N 65 E. 16 " "
60.50	Iron Brook. 15 miles wide, course N. W.
73.11	Intersect the West Boundary of the Township 88 miles North of the center of sec. 24 & 25 T. 16. N. R. 7 W. & set a post for the av. of sec. 24 & 25 from which Intersect 3 in diam. trees. N 72 W. 9 miles north; Va. Ash. 6 " " " S 43 W. 15 " " Land bet. 1/2 mile wide; 2nd 1/2 hill; Land good for farm- ing Timber Beech, Poplar, Ash, Sugar & S. W. Spruce.
North	Return Sec. 19 & 20. T. 16. N. R. 6 W.
20.91	Iron Brook. 15 in diam. in the river.
36.50	Iron Brook. 8 miles wide, course N.
40.00	Set a post for the av. of sec. 17, 18, 19 & 20 from which Y. Beech. 11 in diam. trees. S 62 W. 13 miles north; Va. Sugar. 12 " " " N 60 E. 18 " "
64.62	Iron Brook. 15 in diam. in the river.
80.00	Set a post for the av. of sec. 17, 18, 19 & 20 from which Sugar. 5 in diam. trees. N 5 E. 9 miles north; Va. Y. Beech. 4 " " " S 5 W. 13 " " Land good and good for farming; Timber Sugar Maple and Poplar. Birch & S. W. Spruce.
East	On Random line between Sec. 20 & 17 T. 16. N. R. 6 W.
40.00	Set a trip 1/2 in expert
64.60	Iron Brook. 12 miles wide course N. E.
79.60	Intersect the N. E. line 40 miles North of the first cross Sec. 16, 17, 20 & 21. Land good and good for farming; Timber Ash, Sugar, Poplar, & Walnut; S. W. Spruce.
West	On the line between Sec. 8 & 20 T. 16. N. R. 6 W.
39.80	Set a trip 1/2 in expert at the av. north on the line from which Beech 10 in diam. trees. North 17 miles north; Va. Sugar. 6 " " " S 20 W. 40 " "

I. N. 16. N. R. N. 6. W. 2nd. Min. Ind. a.

19.60 To the post on of sw. 17, 18, 19 & 20. Nov. 3rd 1819.

West Return Sw. 19 & 18 I. 16. N. R. 6 W.
 13.75 To a Brook 5 miles, corner N.
 40.00 Set a 1/2 post from which
 W Oak. 18 in diam. trees. N 5 W. 6 miles each; Pa.
 Cornum 3, " " S 2 E. 20 " "
 55.00 To the North fork of Raccoon Creek 60 miles, corner S. W.
 73.50 Set a cut the West Bound. 179 miles North of the post on.
 of sw. 13 & 24 I. 16. N. R. 7 W. made set a post for the on of sw.
 18 & 19 from which
 W Walnut 18 in diam. trees N 62 E. 23 miles each; Pa.
 Blackberry 10, " " N 30 W. 25 "
 Land 1/2 mile high; D. 1/2 low; Timber ash, Sugar,
 Gum, Beak, Walnut, &c. W. Spec.

North Return Sw. 17 & 18 I. 16. N. R. 6 W.
 27.87 To a Brook. 18 in diam. in the line.
 40.00 Set a 1/2 post from which
 Sugar. 18 in diam. trees N 75 W. 24 miles each; Pa.
 Do. 12 " " " S 64 E. 27 "
 57.00 To an Elm 36 in diam. 11 miles in the line.
 58.50 To the North fork of Raccoon Creek. 50 miles, corner W.
 80.00 Set a post for the on of sw. 7, 8, 17 & 18 from which
 Sugar. 24 in diam. trees S 72 E. 16 miles each; Pa.
 Beak. 18 " " " S 87 W. 6 "
 Land good for farming; Timber Sugar, Walnut,
 and Hickory, &c. W. Spec. &c.

East On Random line between Sw. 8 & 17 I. 16. N. R. 6 W.
 40.00 Set a temporary post
 79.50 Set a cut the N & S line. 75 miles North of the post on of sw.
 8, 9, 16 & 17.
 Land but could good for farming; Timber Sugar Walnut
 W Oak, Poplar, &c. W. Spec.

363

T. N. 16. N. R. N. 677 2nd Mer. Ind.

West
39.75 Depth two line between Sec 8 & 17. T. 16. N. R. 677
Set the trap for 1/2 a foot at the as ditch on the line from.
Which a Buck. 20 in diam. beam. 142 E. 28 links each; Pa.
Oak 24 " " " 151 W. 28 " "
79.50 To the first cr of sec 7. 8. 17. & 18.

West
10.00 Return Sec 7 & 18 T. 16. N. R. 677.
40.00 To the North fork of Racoon Creek corner J.
Set a 1/2 a foot from which a,
Buckeye 10 in diam. beam. 174 W. 9 links each; Pa.
Ho. 4 " " " 136 E. 16 " "
73.25 Intercept the West Boundary 143 links North of the first cr of
Sec 12 & 13. T. 16. N. R. 777 and set a foot for the cr of sec 7 & 18. from
Which a Sugar. 12 in diam. beam. 197 W. 10 links each;
Sugar Buck. 6 " " " 187 W. 22 " "
Sand good for farming; Timber Sugar. Walnut Hack.
berry and Buckeye; etc. 118 Pawpaw.

North
20.00 Return Sec 7. & 8 T. 16. N. R. 677.
29.00 To a Brook. 50 links NW. On creek.
29.00 After crossing the creek. twice came out on same side.
31.50 To the West side. (of creek)
35.50 " " East " (" ")
40.00 Set a 1/2 a foot from which a,
Oak. 36 in diam. beam. 131 E. 25 links each; Pa.
Ho. — " " " 136 W. 20 " "
50.00 Left the creek on our right on East.
80.00 Set a foot for the cr of sec 5, 6, 7 & 8 from which a,
Oak. 20 in diam. beam. 162 E. 35 links each; Pa.
Poplar. 20 " " " West 37 "
Sand good for farming; Timber Sugar Poplar. & Oak.
Buck & c. 118 Spruce.

East
12.00 On a Run in line between Sec 5 & 8 T. 16. N. R. 677
40.00 To the main fork of Little Racoon Creek 50 links NW. S.
Set a trap for 1/2 a foot.

T. N. 16. N. R. N. 6. W. Q. 1. d. (Mn. Ind.?)

79.60 Situate at the North & Shire 60th North of the post on of Lat 4.5, 849.
Good farming land; Timber Sugar, Poplar, Birch, White Oak, Walnut
& Myrtle.

West
39.80 Cut the line between Sec 5 & 8 T. 16. N. R. 6. W.
at the top of the line at an arch in the line from which a corner 5
miles from Sec 5 E. 11 the arch is a Buckeye 3 trees N 47° W 3 the arch
79.60 To the post on of Sec 5. 6. 7. & 8.

West
40.00 Return Sec 6 & 7 T. 16. N. R. 6. W.
at the top of the line from which, Sugar 6 in diam. trees. N 47° W 24 the arch
made a Buckeye 10 in diam. trees. Sec 9 E. 25 the arch.
48.70 To a Brook 15 the arch, corner S. E.
73.08 Enter at the West Boundary of Township 164 miles North of the
post on of Sec 1 & 2 T. 16. N. R. 7. W. and set a post for the corner of Sec 6 & 7
from which, Sugar 12 in diam. trees. S 54° W 11 the arch, Pa
Do. 12 " " " S 65° E. 28 " "
Land hilly Timber Poplar, Sugar, Birch, White Oak, &
Myrtle & Elmwood &c.

North
29.50 Return Sec 5 & 6 T. 16. N. R. 6. W.
To a Brook 5 miles and, corner S. E.
34.60 To a Brook 20 in diam. in the line.
40.00 Set a post for the corner from which,
Sugar 12 in diam. trees. S 28° E 14 the arch, Pa
Do. 5 " " " N 61° W 22 " "
74.50 Enter at the North Boundary and set a post for the corner
of Sec 5 & 6 from which,
Sugar 18 in diam. trees. S 30° E 14 the arch, Pa
Buckeye 4 " " " N 25° W 8 " "
Land hilly and good; Timber Poplar White Oak, Red Oak
Sugar, Oak &c. Myrtle & Elmwood &c.
Completed this Township Thursday Evening
Nov. 4th 1819

Large proportion of this Township is land of the
1st quality with excellent timber; there is now

369

T. No. 16. N. 11. N. 67. D. 2nd. M. Ind.

large Ingon. than I ever beheld. The copper branches
of the Little Raccoon furnished fine water for this Iron
Ship. I have no doubt this is the finest Iron Ship
I have yet surveyed. Nov. 4. 1819.

Surveyed by
William Folke Esq.

Certify that the foregoing Transcript of the Field
note of Township No. 16 North of Range No. 6 West
2nd Principal Meridian Indiana has been compared
with the Original notes in this Office and found to be
correct.

Surveyor General's Office
Cincinnati August 1. 1841

E. S. Haines
Sur. General